

# CONTENTS

---

1. WOODEN WALL PANEL .....	1
2. MDF ACOUSTIC PANEL .....	2
3. WPC WALL PANEL .....	3-17



# Wooden Wall Panel




**SSW971#**




**SSW1180#**



**SSW1160#**




**SSW1047#**



**SSW1181#**




**SSW1051#**




**SSW1162#**




**SSW1187#**



**SSW1087#**




**SSW1077#**




**SSW1213#**



**SSW963#**



**SSW1078#**



**SSW1079#**

# Wooden Wall Panel



SSW971-0898T1

-706T

-708T

-08954QT

-E-3MCPT



SSW1160-B-2032

-B-2033

-B-91731

-B-20331

-B-1256



SSW1047-AA-71CM

-AA-83CM

-AA-20CM

-AB-21086

-AB-0166



SSW1078-B-22G

-B-325

B-212G

-B-21G

-B-20G



SSW1079-22FG


-18FG

-19FG


-25FG

-24FG

# MDF Acoustic Panel




# MDF Acoustic Panel





# WPC WALL PANEL







Thickness/Width	200mm	250mm	400mm	600mm	1200mm	Customization
8mm	✓	✓	✓	✓	✓	✓
9mm	✓	✓	✓	✓	✓	✓
Customization	✓	✓	✓	✓	✓	✓

Joining Solution



### Groove Connection Styles



### Applications



■ Applications





Applications





SSW128-10220



SSW129-10220



SSW157-10220



SSW128#



SSW129#




SSW157#

9mm


■ Applications



# 3D SERIES




■ Applications





# METAL TRIM



JF2509-07218





**SSW224#**




**SSW221#**




**SSW220#**




**SSW222#**



**SSW223#**



Other Colors



Wood Series



A0915156-2



A0984156-1



B804114-11



A798160-2



A0984113-4



A0984106-2



B821902-27



A784169-2



A7106149-5



B804105-11



A0984113-1



A0984113-2



B804108-11



A7106149-3



A7102138-1



A09102174-4



A0984106-3



A78473-4



B804107-11




Cloth Series



B903716-16



B903707-218



B904210-216




B903705-16



B904208-216



B909112-30



A588110-3



B909113-30




B58801-1



Stone Series



B701404-20



A8852-1



A8850-2



A8849-3



A8851-1


Solid Color Series




A00301-10



A00301-4



A00301-9



A00301-6t



A00301-4





Electric Circular Saw



Nail Gun



Metal Trim



Steel Buckle Clip



Nail Free Glue



Glue Gun




3D Wall Panel



Seam Patch



1. Use Electric Circular Saw to cut the wall panel according to the required size.



2. Put nail-free glue on the back of the wall panel.



3. Place the panel on the smooth wall and pat lightly to stick to the wall.



4. Insert the metal trim into the groove from the side of the panel, and then nail the metal trim to the wall.



5. Install other wall panels in the above mentioned order.



6. Complete the installation.



- More Flexible Assembly Design**  
 Rich designs of width, seam and color, any combination can create an unexpectedly unique effect.
- Free of Heavy Metals and Plasticizers**  
 Safe and eco-friendly, comply with REACH regulation.
- PUR Adhesive**  
 Eco-friendly hot melt glue, free of formaldehyde.
- Water-based Printed PVC/PP Decorative Film**  
 High-definition eco-friendly film, consistent with ecological and sustainable requirements.
- Waterproof**  
 Great design options for high-moisture areas.
- 100% Recyclable Materials**  
 INTOCO WPC wall panel is recyclable.

Test Result	Unit	Limit	Result	Unit
Cadmium (Cd)	mg/kg	2	0.4	mg/kg
Lead (Pb)	mg/kg	2	0.8	mg/kg
Mercury (Hg)	mg/kg	2	0.1	mg/kg
Chromium (Cr)	mg/kg	1	0.1	mg/kg
Vanadium (V)	mg/kg	1	0.1	mg/kg
Antimony (Sb)	mg/kg	1	0.1	mg/kg
As (As)	mg/kg	1	0.1	mg/kg
Co (Co)	mg/kg	1	0.1	mg/kg
Cu (Cu)	mg/kg	1	0.1	mg/kg
Fe (Fe)	mg/kg	1	0.1	mg/kg
Mn (Mn)	mg/kg	1	0.1	mg/kg
Ni (Ni)	mg/kg	1	0.1	mg/kg
Pb (Pb)	mg/kg	1	0.1	mg/kg
Se (Se)	mg/kg	1	0.1	mg/kg
Sn (Sn)	mg/kg	1	0.1	mg/kg
Zn (Zn)	mg/kg	1	0.1	mg/kg

Below the Heavy Metal Limit

Test Result	Unit	Limit	Result	Unit
Phthalic anhydride (PAH)	mg/kg	100	0	mg/kg
Hexamethylenediamine (HMDI)	mg/kg	100	0	mg/kg
Diisocyanate (OCN)	mg/kg	100	0	mg/kg
Diethylene glycol (DEG)	mg/kg	100	0	mg/kg
Diethylene glycol dimethyl ether (DEGME)	mg/kg	100	0	mg/kg
Diethylene glycol dibutyl ether (DEGDBE)	mg/kg	100	0	mg/kg
Diethylene glycol dodecyl ether (DEGDDE)	mg/kg	100	0	mg/kg
Diethylene glycol octyl ether (DEGDOE)	mg/kg	100	0	mg/kg
Diethylene glycol hexyl ether (DEGDHE)	mg/kg	100	0	mg/kg
Diethylene glycol butyl ether (DEGDBE)	mg/kg	100	0	mg/kg
Diethylene glycol methyl ether (DEGDME)	mg/kg	100	0	mg/kg
Diethylene glycol ethyl ether (DEGDEE)	mg/kg	100	0	mg/kg
Diethylene glycol propyl ether (DEGDPE)	mg/kg	100	0	mg/kg
Diethylene glycol tetraethyl ether (DEGDETE)	mg/kg	100	0	mg/kg
Diethylene glycol dimethyl acrylate (DEGDMA)	mg/kg	100	0	mg/kg
Diethylene glycol dimethyl methacrylate (DEGDMA)	mg/kg	100	0	mg/kg
Diethylene glycol dimethyl ether acrylate (DEGDMA)	mg/kg	100	0	mg/kg
Diethylene glycol dimethyl ether methacrylate (DEGDMA)	mg/kg	100	0	mg/kg
Diethylene glycol dimethyl ether acrylate methacrylate (DEGDMA)	mg/kg	100	0	mg/kg
Diethylene glycol dimethyl ether acrylate methacrylate (DEGDMA)	mg/kg	100	0	mg/kg

Free of Heavy Metals and Plasticizers

Classification	Result
Fire Resistance	B1

Fire Resistance: B1





Shinystar Wood

**Shanghai Shinystar Wood Co., Ltd.**

More than 15 years

Factory: China/Vietnam/Malaysia/Colombia

## Contact information

---

Web : [www.shinystarwood.com](http://www.shinystarwood.com)

Phone: +86-21-34719155

Mobile: +86 15921724860

E-mail : [sales@shinystarwood.com](mailto:sales@shinystarwood.com)

Address: Room 1205, Building G, NO.1777

Hualong Road, Qingpu District, Shanghai



PANTING



WATERPROOF



DURABLE



SUSTAINABLE



WARRANTED